

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

**Certificate No.**  
**0843-CPR-1333**

**Issue date**  
27-02-2024

**Issue No.**  
2

**Re-Issue date**  
24-07-2024



4705

This is to certify that UL International (UK) Ltd. did undertake the relevant AVCP procedures for the equipment identified below which was found to be in compliance with the Construction Products Regulation 2011 as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, subject to any conditions attached hereto.

**Manufacturer:**  
Transom Post OpCo LLC DBA Bose Professional

**Address:**  
117 South Street, Hopkinton, MA 01748-2296

**Product:**  
FS2C FreeSpace In-ceiling Loudspeaker

**Places of production:**  
Factory C

**Harmonized Standard**  
EN 54-24: 2008

Head of Approved Body:

A handwritten signature in black ink, appearing to read 'Richard Bristow'.

Richard Bristow  
Issued by UL International (UK) Ltd, Approved Body 0843.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above referenced standards, under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate will remain valid as long as neither the designated standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the UK Approved body.



## Detailed information sheet:

Product Reference:	Model FS2C Loudspeaker
Type:	Type A (Indoor) IP21C
Description:	Loudspeaker for voice alarm systems for fire detection and fire alarm systems
Key Performance parameters:	Impedance: 16Ω / 16W Operating Voltage: 100V / 70V Audio Line Wattage: 70 Vrms: 1W, 2W, 4W, 8W, 16W 100 Vrms: 2W, 4W, 8W, 16W Equaliser: PEQ 1 / Freq: 10900 Hz / Gain: -12.0 dB / Q/BW: 10/0.144
Accessories:	NA
Identification and intended use	Product: Loudspeaker for voice alarm systems for fire detection and fire alarm systems. Intended use: Fire safety.

## Limitations on the acceptance or use of the product(s):

Installation instructions	To be used in accordance with the supplier's installation instructions, and technical datasheet.
Limitations	NA
UL Report:	NC34657-D03-EuropeanDirective-Original

## Terms and Conditions:

1. This certificate remains the property of UL International (UK) Ltd, herein "UL UK", and will be withdrawn if any conditions attached to its issue are not complied with.
2. This certificate is issued subject to the Global Services Agreement (GSA) and UKCA CPR Service Terms.
3. Production is limited to the site(s) as listed, or detailed within the Technical documentation held by UL UK.
4. Any product change, production/process changes, etc. which may affect conformity shall be notified to UL UK.
5. This certificate is only valid for placing goods on the market of United Kingdom excluding Northern Ireland.

END OF CERTIFICATE