
# L1® PORTABLE LINE ARRAY SYSTEMS



The Bose® L1 portable line array systems use proprietary technology to deliver clear, powerful sound throughout the entire listening area — even off to the extreme sides.

Quick Comparison Overview								
	L1® Model II system	L1® Model 1S system	L1® Compact system					
Positioning	Our most advanced system featuring our 24-speaker articulated line array providing our best tonal balance, coverage, and highest output.	A unique combination of performance and portability that includes our 12-speaker articulated line array providing smooth tonal balance, coverage, and high output.	Our smallest, lightest and easiest-to-set-up L1 system featuring a 6-speaker curved articulated line array providing smooth tonal balance and coverage, weighing just 29 pounds.					
Audience size	Up to 500	Up to 300	Up to 100					
Acoustic performance	The articulated 24-speaker line array provides 180 degrees of horizontal sound coverage while at the same time offering extremely tight vertical control resulting in <i>little</i> drop off in volume over distance than conventional loudspeakers.	The 12-speaker articulated line array provides 180 degrees of horizontal sound coverage while at the same time offering tight vertical control resulting in <i>less</i> drop off in volume over distance than conventional loudspeakers.	The L1 Compact loudspeaker array is smaller than those in the L1 Model IS and Model II systems, yet produces comparable horizontal sound coverage. The L1 Model IS and Model II systems project sound further and with less volume drop-off than the L1 Compact system.					
Coverage	180° H x 0° V	180° H x 10° V	180° H x 40° V					
Max SPL	115 dB (Cont), 121 dB (Peak)	112 dB (Cont), 118 dB (Peak)	106 dB (Cont.), 112 dB (Peak)					
Low Frequency		65 Hz						
Bass	The Model II power stand can drive two B1 bass modules or a single B2 bass module. It also features a dedicated bass line out allowing it to be used with the A1 PackLite® amplifier to add two additional B1 bass modules or an additional B2 bass module.	The Model 1S power stand can drive two B1s or a single B2 bass module.	The L1 Compact system features an integrated bass speaker in the power stand.  It is not compatible with the B1 or B2 bass modules.					
1/0	<ul> <li>1 x 1/4" analog input</li> <li>1 x NL4 bass module out</li> <li>1 x ToneMatch® port</li> <li>1 x trim control</li> <li>1 x power switch</li> <li>1 x 1/4" bass line out</li> </ul>	<ul> <li>1 x 1/4" analog input</li> <li>1 x NL4 bass module out</li> <li>1 x ToneMatch port</li> <li>1 x trim control</li> <li>1 x power switch</li> </ul>	<ul> <li>1 x microphone input</li> <li>1 x 1/8" balanced analog input</li> <li>1 x RCA stereo input</li> <li>1 x 1/4" analog input</li> <li>1 1/4" mono analog output</li> <li>1 x RCA output</li> </ul>					
System includes	<ul> <li>L1 Model II top and bottom loudspeaker arrays</li> <li>L1 Model II system power stand</li> <li>AC power cord</li> <li>Protective carrying bags/covers</li> <li>B1 or B2 bass module with cable and slip cover</li> </ul>	<ul> <li>L1 Model 1S top array and bottom extension</li> <li>L1 Model 1S power stand</li> <li>AC power cord</li> <li>Protective carrying bags/covers</li> <li>B1 or B2 bass module with cable and slip cover</li> </ul>	<ul> <li>L1 Compact loudspeaker array</li> <li>L1 Compact system power stand with slip cover</li> <li>L1 Compact system extensions with protective carry bag</li> </ul>					

# L1® PORTABLE LINE ARRAY SYSTEMS



# L1® PORTABLE LINE ARRAY SYSTEMS

The Bose® L1 portable line array systems' combination of performance, portability and easy setup makes them an ideal solution for many situations.

Venue		Recommended System	Possible Application	ns (by audience size)			
Education	Classrooms Auditoriums Gymnasiums Cafeterias Outdoors	L1® Compact system Small sized audience up to 100 people	Augmented audio for viewing a movie	Presenting audio from a PC	Listening to a blog or podcast	Audio for a SMART Board™ interactive whiteboard	
		L1® Model 15 system Mid sized audience up to 300 people	Rallies, sporting events, speeches,	Plays and indoor performances	Announcements and music at practices	Emergency preparedness drills	
		L1® Model II system  Large sized audience up to 500 people					
• Meeting r	Rallrooms	L1® Compact system Small sized audience up to 100 people	Special event, anniversary Presentation or speech at a banquet or corporate meeting Bookstore cafe		Business presentation		
	Conference rooms     Meeting rooms     Hotel common areas	L1® Model 1S system  Mid sized audience up to 300 people			Conference room meeting Outdoor cocktail party		
	Thotel common areas	L1® Model II system  Large sized audience up to 500 people					
s of iip	• Indoor public address • Lobby and hallways • Youth rooms • Cafe/Bookstore • Classrooms and offices	L1® Compact system Small sized audience up to 100 people	Secondary PA for retreats and mission work Secondary PA or backline for worship band, PA for youth events Secondary PA for music worship		Activity room/Sm. function room	Memorial services	
louses Worsh		L1® Model 15 system  Mid sized audience up to 300 people			Raffles, bingo games, or other events		
_	Portable church	L1® Model II system Large sized audience up to 500 people					
Business and Civic	Offices Public address Training/classes Meetings	L1® Compact system Small sized audience up to 100 people		Corporate presentations	Training and demonstration	Exercise/fitness classes (karate, dance, aerobics, etc.)	
		L1® Model 15 system  Mid sized audience up to 300 people	Public speaking, announcement		Fitness center gymnasium Radio remote broadcast at a large concert or event		
		<b>L1® Model II system</b> Large sized audience up to 500 people	Outdoor community events, community theater				
.aw ent		L1® Compact system Small sized audience up to 100 people	Briefings, press events, and training exercises, municipal auctions		Portable crowd control or public address		
Military/Law Enforcement	<ul><li>Indoor events</li><li>Outdoor events</li><li>Training</li></ul>	L1® Model 15 system  Mid sized audience up to 300 people					
		L1® Model II system Large sized audience up to 500 people	Training exercises, outdoor municipal auctions, crowd control				
Consumer	Parties Outdoor events General music/voice amplification	L1® Compact system Small sized audience up to 100 people	Backyard parties Special family events	Football parking lot tailgating	Karaoke parties at home	DJ amplification	
		L1® Model 15 system Mid sized audience up to 300 people	Outdoor amateur sports events Theatrical production, soundstage/sound effect (SFX)				
		L1® Model II system Large sized audience up to 500 people					

# L1<sup>®</sup> Compact

# portable line array system

Our smallest, lightest and easiest-to-set-up L1 system featuring a 6-speaker curved articulated line array providing smooth tonal balance and coverage, weighing just 29 pounds.

The L1 Compact loudspeaker array is smaller than those in the L1 Model IS and Model II systems, yet produces comparable horizontal sound coverage. The L1 Model IS and Model II systems project sound further and with less volume drop-off than the L1 Compact system.

The L1 Compact system features an integrated bass speaker in the power stand. *It is not compatible with the B1 or B2 bass modules.* 

These durable components easily connect without the need for speaker stands or wires and are readily transported in two protective carry bags/covers. The materials and construction are specifically designed to meet the performance demands of a wide range of applications including musical performances, music playback, speeches and AV sound reproduction.

The L1 Compact system can be operated in two modes:

### **Collapsed Tabletop**


For smaller gatherings and meetings

### **Extended Position**

For larger audiences




**Collapsed Tabletop** 




**Extended Position** 

## **Sound Coverage**

### **Collapsed Tabletop**







TOP

SIDE

### **Extended Position**





**TOP** 

SIDE

# **Application example 1 — Voice Amplification**

### **Applications**

**Secondary PA for retreats** and mission work, youth room

Memorial services

Public speaking/announcement

Corporate presentations

Training and demonstration

Briefings, press events, and training exercises

Municipal auctions

Portable crowd control or public address

Football parking lot tailgating





















OF 23

# **Application example 2 — Music or Audio Playback**


# Applications Presenting audio from a PC Listening to a blog or podcast Business presentation Backyard parties, special family events





# **Application example 3 — Voice Amplification with Music or Audio Playback**





Microphone

Instrument

Projector

SMART Board


interactive whiteboard



# **Application example 4 — Audio Playback with Video**


# Applications Audio augmentation for a SMART Board interactive whiteboard


Family movie night outdoors





Application example 5 — Voice Amplification with Music or Audio Playback and







# L1® Model 1S portable line array system

A unique combination of performance and portability that includes our 12-speaker articulated line array providing smooth tonal balance, coverage, and high output.

The 12-speaker articulated line array provides 180 degrees of horizontal sound coverage while at the same time offering tight vertical control resulting in less drop off in volume over distance than conventional loudspeakers.

The Model 1S power stand can drive two B1s or a single B2 bass module.

These durable components easily connect without the need for speaker stands or wires and are readily transported in three protective carry bags/covers. The materials and construction are specifically designed to meet the performance demands of a wide range of applications including musical performances, music playback, speeches and AV sound reproduction.


### **Bass Modules**

Users have a choice between the B1 portable, lightweight bass module, or the B2 high-performance, flexible bass module.

### T1 ToneMatch® Audio Engine

The addition of a T1 ToneMatch Audio Engine to any of the L1 systems provides four input channels with independent selection of ToneMatch presets and effects, including customized ToneMatch presets for a variety of popular microphones and instruments.






### **Sound Coverage**

### L1® Model 1S




**TOP** 



SIDE


# **Application example 1 — Voice Amplification**

# **Applications** Plays and indoor performances **Emergency preparedness drills** Raffles, bingo games, or other events **Training exercises Outdoor municipal auctions** Crowd control





### **Sound Coverage**

### L1® Model 1S




**TOP** 






# **Application example 2 — Music or Audio Playback**

# Applications Outdoor cocktail party Soundstage/sound effect (SFX)




### **Sound Coverage**

### L1® Model 1S



**TOP** 



TV DVD/video MP3 player Laptop/PC Microphone Instrument SMART Board interactive whiteboard Projector

# **Application example 3 — Voice Amplification with Music or Audio Playback**



Rallies, sporting events, speeches

Announcements and music at practices

Presentation or speech at a banquet or corporate meeting

Conference room meeting

**Outdoor community events** 


Community theater

Fitness center gymnasium

Radio remote broadcast at a large concert or event


Outdoor amateur sports events

Theatrical production





## **Sound Coverage**

L1® Model 1S





**TOP** 






# Application example 4 — Voice Amplification with Music or Audio Playback and Musical Instrument






## **Sound Coverage**

L1® Model 1S



TOP



SIDE

# L1<sup>®</sup> Model II

# portable line array system

Our most advanced system featuring our 24 speaker articulated line array providing our best tonal balance, coverage, and highest output.

The articulated 24-speaker line array provides 180 degrees of horizontal sound coverage while at the same time offering extremely tight vertical control resulting in less drop off in volume over distance than conventional loudspeakers.

The Model II power stand can drive two B1 bass modules or a single B2 bass module. It also features a dedicated bass line out allowing it to be used with the A1 PackLite® amplifier to add two additional B1 bass modules or an additional B2 bass module.

These durable components easily connect without the need for speaker stands or wires and are readily transported in four protective carry bags/covers. The materials and construction are specifically designed to meet the performance demands of a wide range of applications including musical performances, music playback, speeches and AV sound reproduction.


### **Bass Modules**

Users have a choice between the B1, portable, lightweight bass module, or the B2, high-performance, flexible bass module.

### T1 ToneMatch® Audio Engine


The addition of a T1 ToneMatch Audio Engine to any of the L1 systems provides four input channels with independent selection of ToneMatch presets and effects, including customized ToneMatch presets for a variety of popular microphones and instruments.






### **Sound Coverage**

### L1® Model II



**TOP** 




SIDE

# **Application example 1 — Voice Amplification**

# Applications Plays and indoor performances Emergency preparedness drills Raffles, bingo games, or other events Training exercises


Outdoor municipal auctions

Crowd control





### **Sound Coverage**

L1® Model II




TOP






# **Application example 2 — Music or Audio Playback**

# Applications Outdoor cocktail party Soundstage/sound effect (SFX)





### **Sound Coverage**

### L1® Model II



**TOP** 





# **Application example 3 — Voice Amplification with Music or Audio Playback**



Rallies, sporting events, speeches

Announcements and music at practices

Presentation or speech at a banquet or corporate meeting

Conference room meeting

**Outdoor community events** 


Community theater

Fitness center gymnasium

Radio remote broadcast at a large concert or event


Outdoor amateur sports events

Theatrical production





## **Sound Coverage**

L1® Model II










# Application example 4 — Voice Amplification with Music or Audio Playback and Musical Instrument

# Applications Secondary PA for music worship, etc. Community theater Announcements and music at practices



# L1<sup>®</sup> Bass Module Options

### **B1** bass module


### **Positioning**

Portable lightweight bass module designed to provide deep balanced bass for Model 1S and Model II systems. It features 2 x 5.25" high excursion drivers built into a rugged enclosure. Interlocking end caps allow up to four B1 modules to be stacked together.



Includes slip cover and NL4 cable.

### Input panel




### **B2** bass module

### Positioning

Our high performance flexible bass module designed to provide deep impactful bass for Model 1S and Model II systems used in higher SPL live music and DJ applications. It features 2 x 10" high excursion woofers mounted in a rugged plywood enclosure, and a three position sensing switch, allowing bass output to be adjusted for different applications. Interlocking end caps allow up to two B2 modules to be stacked together.




### Input panel






# L1<sup>®</sup> System Configurations


### L1® Model 1S with B1 bass module(s)




### L1® Model 1S with B2 bass module




# L1<sup>®</sup> System Configurations



### L1® Model II with B2 bass module(s)





Two B2 bass modules (with PackLite)



pro.Bose.com

331291-0010



©2012 Bose Corporation The Mountain,Framingham, MA 01701-9168 AM357297 Rev. 00