CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate No. 0843-CPR-1334

Issue date

27-02-2024

Issue No.

2

Re-Issue date 24-07-2024





This is to certify that UL International (UK) Ltd. did undertake the relevant AVCP procedures for the equipment identified below which was found to be in compliance with the Construction Products Regulation 2011 as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, subject to any conditions attached hereto.

Manufacturer: Transom Post OpCo LLC DBA Bose Professional

Address: 117 South Street, Hopkinton, MA 01748-2296

Product: FS2P FreeSpace Pendant Loudspeaker

Places of production: Factory C

Harmonized Standard EN 54-24: 2008

Head of Approved Body:

Richard Bristow Issued by UL International (UK) Ltd, Approved Body 0843.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above referenced standards, under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate will remain valid as long as neither the designated standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the UK Approved body.

Page 1 of 2

UL International (UK) Limited Unit 1-4 Horizon, Kingsland Business Park, Wade Rd., Basingstoke. RG24 8AH United Kingdom © 2024 UL LLC. All rights reserved.

Detailed information sheet:

Product Reference:	Model FS2P Loudspeaker
Туре:	Type A (Indoor) IP21C
Description:	Loudspeaker for voice alarm systems for fire detection and fire alarm systems
Key Performance	Impedance: 16Ω / 16W
parameters:	Operating Voltage: 100V / 70V Audio Line
	Wattage: 70 Vrms: 1W, 2W, 4W, 8W, 16W
	100 Vrms: 2W, 4W, 8W, 16W
	Equaliser: PEQ 1 / Freq: 10900 Hz / Gain: -12.0 dB / Q/BW: 10/0.144
Accessories:	NA
Identification and intended use	Product: Loudspeaker for voice alarm systems for fire detection and fire alarm systems. Intended use: Fire safety.

Limitations on the acceptance or use of the product(s):

Installation instructions	To be used in accordance with the supplier's installation instructions, and technical datasheet.
Limitations	NA
UL Report:	NC34657-D03-EuropeanDirective-Original

Terms and Conditions:

- 1. This certificate remains the property of UL International (UK) Ltd, herein "UL UK", and will be withdrawn if any conditions attached to its issue are not complied with.
- 2. This certificate is issued subject to the Global Services Agreement (GSA) and UKCA CPR Service Terms.
- 3. Production is limited to the site(s) as listed, or detailed within the Technical documentation held by UL UK.
- 4. Any product change, production/process changes, etc. which may affect conformity shall be notified to UL UK.
- 5. This certificate is only valid for placing goods on the market of United Kingdom excluding Northern Ireland.

END OF CERTIFICATE

